
YOR RAILS

Wheel Conveyor Rails are made up of standard skatewheels mounted to various angle-channel configurations. They provide a means of economical mobile storage systems. Can be mounted on floor level or in storage flow racks. Rails are 12 ga. powder painted steel.



TYPE NO. 1

000



Rail Weight Per Ft.–2.5 LBS.

Support Centers							
3'	4'	5'	6'	7'	8'	10'	
Maximum Load Per Foot (Lbs.)							
260*	260*	146	83	51	35	18	

*Wheel Capacity-65 lbs. each

Rail Weight Per Ft.–2.1 LBS.

2-3/8"

ว่//י


Support Centers								
3'	3' 4' 5' 6' 7' 8' 10'							
Maximum Load Per Foot (Lbs.)								
223	92	50	28	17	12	6		

*Wheel Capacity-65 lbs. each

TYPE NO. 3

TYPE NO. 2





CROSS SECTION

3"-PLAN


Rail Weight Per Ft.–3.5 LBS.

Support Centers							
3'	4'	5'	6'	7'	8'	10'	
Maximum Load Per Foot (Lbs.)							
260*	233	125	71	44	38	15	

*Wheel Capacity-65 lbs. each


TYPE NO. 4





TYPE NO. 5





HYTROL

Rail Weight Per Ft.-3.5 LBS.

Support Centers							
3'	3' 4' 5' 6' 7' 8' 10'						
Maximum Load Per Foot (Lbs.)							
260*	260*	198	112	69	49	24	

*Wheel Capacity-65 lbs. each

Rail Weight Per Ft.-3.0 LBS.

Support Centers								
3'	3' 4' 5' 6' 7' 8' 10'							
Maximum Load Per Foot (Lbs.)								
260*	210	113	64	40	27	14		

*Wheel Capacity-65 lbs. each